

CR World

7097 30th Ave N St. Petersburg, FL 33710
(727) 401-4223
Project 04/15/2024

Seed to Sale: N/A
Retail Batch#: N/A
Cultivar: N/A
Cultivation Facility: N/A
Processing Facility: N/A
Sampling: SOP 21

COMPLIANCE FOR RETAIL

Sample Name: Honey Stick Composite

Lab Sample ID: F404209-01
Retail Batch Total Wt/Vol: N/A
Retail Batch Date: N/A

Matrix: Non-Inhalable Product
Retail Batch Total Units: N/A
Total Wt, Vol or Unit Sampled: 1

Date Sampled: 04/15/2024
Date Received: 04/15/2024
Date Reported: 04/22/2024



Terpenes
Not Tested



Heavy Metals
Not Tested



Foreign Materials
Not Tested



Microbiology
Not Tested



Mycotoxins
Not Tested



Residual Solvents
Not Tested



Pesticides
Not Tested



Moisture Content
Not Tested



Water Activity
Not Tested



Total Cannabinoids	
0.0417%	
Major Cannabinoids	
Total CBD	Total THC
0.0417%	ND%
Minor Cannabinoids *	

Potency as Received

* Most abundant

Cannabinoids

Date Prepared: 04/15/24 13:38
Date Analyzed: 04/16/24 22:04
Lab Batch: B24D050

Prep ID: MC
Analyst ID: CW

Specimen Prep: 0.2588 g / 10 mL
Instrument: HPLC

Prep/Analysis Method: ACCU LAB SOP15

Analyte	Dilution	LOQ	Results	Results
			%	mg/g
CBC	10	0.0386	ND	ND
CBCA	10	0.0386	ND	ND
CBD	10	0.0386	0.0417	0.417
CBDa	10	0.0386	ND	ND
CBDV	10	0.0386	ND	ND
CBDVA	10	0.0386	ND	ND
CBG	10	0.0386	ND	ND
CBGA	10	0.0386	ND	ND
CBN	10	0.0386	ND	ND
delta-8-THC	10	0.0386	ND	ND
delta-9-THC	10	0.0386	ND	ND
THCA	10	0.0386	ND	ND
THCV	10	0.0386	ND	ND
THCVA	10	0.0386	ND	ND

Definitions and Abbreviations used in this report:

Total CBD = CBD + (CBD-A * 0.877), Total THC = THCA-A * 0.877 + Delta 9 THC

LOQ = Limit of Quantitation, LOD = Limit of Detection, DIL = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (N/A) Not Analyzed, (ND) Non-Detect. Total Contaminant Load (TCL) - The sum of all Heavy Metals and Agricultural Agents present above the LOQ, but below the Acceptable Limit.

This report shall not be reproduced except in its entirety without the written approval of AccuScience Laboratories. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. This laboratory is accredited in accordance with International Standard ISO/IEC 17025.



PJLA
Testing
Accreditation#: 109150



Dr. Harry Behzadi, PhD.
President, CEO

